



New Generation Okken™




se.com

Life Is On

Schneider
Electric

Table of contents

New Generation Okken	5
From preventive to predictive maintenance	7
Wireless Okken LV thermal monitoring solution	8
EcoStruxure Power – your complete solution	9
Toss the paper, deliver switchboard project digitally!	10
Ecostruxure Power Build, Not only a Tool...	11
iPMCC by Okken: Built-in Intelligence	13
Okken A Green Premium™ Equipment	14
Well-being and Circularity	15
Okken... 100% and more than IEC standard!	16
Okken, a complete certified range	17
Okken switchboard specifications	18

A woman with dark hair and glasses, wearing an orange shirt, is looking towards a man in a grey shirt. The man is partially visible, looking down. The background is blurred.

More than
120,000 cubicles
installed

Okken LV switchboards are trusted by
customers worldwide

Trusted worldwide for diverse industrial and infrastructural applications, Okken solutions are personalized to fully satisfy different performance and harsh environmental requirements.



New Generation Okken


Future-ready digital switchboard



From preventive to predictive maintenance

Minimize downtime, increase safety

How much does an hour of downtime cost? At a stock exchange, lost transactions total €6 million. A petrochemical plant will forfeit €100,000 in productivity. And for hospitals, the cost is human lives.¹



Wireless Okken LV thermal monitoring solution



Easergy TH110 Wireless Thermal sensor

- Temperature



Easergy CL110 Wireless Environmental sensor

- Temperature
- Humidity

Okken thermal monitoring minimizes downtime and increases safety while reducing insurance premiums related to fire risks

To keep critical equipment up and running is a priority in buildings and facilities worldwide. The objectives are three-fold:

- Maintain operational uptime and business continuity
- Reduce operational expenses and total cost of ownership
- Protect building occupants and electrical distribution equipment

The Okken Thermal Monitoring design combines a robust and proven architecture, standardized modules, and Schneider Electric devices. Permanently installed sensors on busbar connections, cable compartments, and breaker contacts provide continuous monitoring to perform predictive maintenance. While IR inspections may miss critical conditions that happen between scheduled scans,


Okken Thermal Monitoring not only detects potential hazards but immediately sends alerts to operations and maintenance teams, allowing them to respond before any unsafe or damaging conditions occur.

EcoStruxure Power – your complete solution





Innovation at every level for a connected, three-tiered system

At the core of all the EcoStruxure Power solutions are three interwoven levels of innovation: connected products, edge control, and apps, analytics, and services. Continuously communicating in real time within a cybersecure environment, they give you complete visibility to optimize your network.

EcoStruxure™ Power Innovation At Every Level



Toss the paper, deliver switchboard project digitally!

Project location <ul style="list-style-type: none">• Project location• EU customer info• Commissioning date	Design docs <ul style="list-style-type: none">• Single line diagram• Protection setting	Switchboard docs <ul style="list-style-type: none">• CAD Drawings• Switchboard photos• User manual• Single line diagram• Bill of material• Device serial number	Commissioning doc <ul style="list-style-type: none">• Device password• IT network configuration• EPC project report• EPC com test report	Commercial docs <ul style="list-style-type: none">• Product & service brochure• Warranty doc	Maintenance docs <ul style="list-style-type: none">• Maintenance plan• Maintenance guide• Spare part lists
					

Receive digital twin of the switchboard through QR code, information at fingertips!




Panel Builder



Contractor




End User




EcoStruxure Power Build, Not only a Tool...

What is EcoStruxure Power Build?



Software for configuration, Bom, quotation, drawing creation and manufacture


EcoStruxure Power Build screens



But also provide Schneider best in class technology and design guideline

Ecostruxure power build is structured on offer architecture and keeps on:

- Improving user experience based on customer criteria and needs
- Updating the most reliable and advanced solution
- Embedding design rules as per standards and Schneider high requirement guideline, automatically applied during configuration
- Integrating latest best in class technology and device



iPMCC by Okken: Built-in Intelligence



iPMCC by Okken Is a highly advanced smart solution. It helps you to boost the productivity and to optimize the energy management and efficiency of your assets while enhancing continuity service and reducing downtime.

iPMCC solution portfolio is a set of communication architectures called the Data System, which embedded in equipment, will make it possible to collect and make available the necessary data to a supervisor client with the level of performance required to drive electro-intensive and electro-sensitive installations.

The Data System is composed of communication devices like gateways, switches and data concentrator to establish the link between supervisor and the connected products and to route data while ensuring availability and reliability of the transmission.



Nowadays you need control systems that deliver full information about the power and motor status (Fault, overheating), statistics on functioning (what occurred in the last hours) and also for an 'intelligent' protection system, which can identify the potential risks and send alarms to the maintenance staff to act before a failure occurs reducing the risk of downtime.

Digital communications dramatically reduce the number of cables needed to transfer information, while reducing the wiring time and limiting the sources of errors.

In addition, the use of intelligent electronic devices allows to gather far more information than before and make possible the modification of the list of loads at a later stage of the project

The implementation of iPMCC solution in the Electrical Distribution Switchboard will make it possible benefit from EcoStruxure Edge Control applications to manage, monitor and control industrial installation.



Okken

A Green Premium™ Equipment

Well-being and Circularity

Superior environmental performance with Green Premium

The Okken is RoHS and REACh compliant

- Transparent environment information
- Product Environment Profile, compliant with ISO14025
- Circular instructions



Resource

Sustainable packaging

- Complying with sustainable packaging guideline, wood pallet is certified as FSC 100% from DC



Well-Being

Legal compliance

- Ensure full regulation compliance about substances and chemical components




Circular

Upgradeability and recyclability


- The function of equipment can be improved when the devices installed in enclosure are updated
- Recycling rate: 94%

Okken... 100% and more than IEC standard!




Protection against electrical shock

- Busbar inside the enclosure is totally encapsulated and make it the most safe distribution busbar of the market.
- Tap off equipped with shutters prevent access to live parts when the functional unit is removed out from the column.
- Live parts are protected by screens guaranteeing an IP20 degree of protection.
- Okken offers safety protection with terminal block covers, and forms of internal separation up to 4b.
- Internal arc containment 100 kA - 0.4 s up to IP54, certified on the 7 criteria as per standard requirement (IEC TR 61641)



Current carrying capability

- Okken offers high safety level and reliability further to verification of temperature rise limits.
- Busbars, connections, functional units have been tested in order to avoid connection damage, reduction of insulation performance, risk of burn and faulty operation of devices.



Protection of the assembly against environmental conditions

- The conductive parts treated for "anti-corrosion" (according to IEC 721-3-3 standard).
- IP54 tightness for the dusty and/or damp environments.
- Earthquake safety version.
- Forced ventilation for environments with ambient temperatures hotter than 45°C or for devices with considerable heat loss.





Maintenance and modification capability

- The modularity of the Okken functional switchboards means you can modify or upgrade them with ease to adapt to your changing processes and increase performance.

When maintenance or upgrades are required, the drawout units allow work to be done safely outside the switchboard while it is energized, therefore, ensuring continuity of service throughout the process.

- The switchboard is designed with free slots to add new functions or extra motor feeders, even at the last minute.
- The Okkenⁿ LV switchboards incorporate the best safety and protection systems, preventing on-load operation to guarantee safer operation and maintenance.

Capability to operate the electrical installation

- The withdrawable drawers have 3 positions connected, disconnected and testing.
- The operator interfaces for switchboard functional unit configuration and setting are directly accessible on the front face.
- Coordination between devices is granted in order to ensure an optimum operation of the electrical installation. The coordination aims to protect the equipment and people, ensure the continuity of service and reduce the maintenance cost.

Okkenⁿ offers total coordination for immediate return to operation or coordination type 2 for reduced shutdown time.



Tested by independent labs, approved by ASEFA, ASTA etc.



Okken, a complete certified range



230

Very high-power incomers
and feeders up to 6300 A



115

High-power incomers and
feeders up to 4000 A



Single MTZ2/NW
Single MTZ1/NT/NS

Single incomer or feeder



70-F

Fixed feeders



185

Fixed feeders- Fuse



115-70

Mixed incomers
and feeders



70-M

Withdrawable feeders



70-2

Polyfast plug-in/
Withdrawable feeders



VSD/SS

Variable speed drives
and soft starters



PFC

Capacitors

Life Is On

Schneider
Electric™

se.com

Schneider Electric Industries SAS
35 Rue Joseph Monier
92506, Rueil Malmaison, France

©2022 Schneider Electric. All Rights Reserved.
Schneider Electric | Life Is On is a trademark and the property of Schneider Electric SE, its subsidiaries, and affiliated companies.
998-21200270